

10 Series *Medium Flow Spin-On Filters*



Pressure: 250 PSI Max.
 Flows: 25 GPM (Return); 9 GPM (Suction)
 ▶ Multiple Micron Ratings Available
 ▶ Elements Available in Cellulose, Micro Glass, Water Absorbing and 100 Micron Stainless Steel Mesh
[Request 10 Series Catalog](#)

22 Series *In-Line Filters*



Housings: 316 Stainless Steel
 Pressure: 3,000 and 6,000 PSI
 Flows: Up To 2.5 GPM or 75 SCFM
 ▶ Multiple Micron Ratings Available
 ▶ Porting Options are 1/8", 1/4" and 3/8"
 ▶ Replaceable Filter Disc
[Request 22 Series Catalog](#)

33 Series *In-Line Filters*



- ▶ 30,000 PSI Rated Operating Pressure
 - ▶ Flows up to 2.5 GPM & 155 SCFM
 - ▶ 17-4 PH Stainless Steel Construction
 - ▶ A Wide Range of Micron Ratings Available
 - ▶ 1/4," 3/8" & 9/16" HP Ports
- [Request 33 Series Catalog](#)

11 Series *High Flow Spin-On Filters*



Pressure: 200 PSI Max.
 Flows: 70 GPM (Return); 25 GPM (Suction)
 ▶ Multiple Micron Ratings Available
 ▶ Elements Available in Cellulose, Micro Glass, Water Absorbing and 100 Micron Stainless Steel Mesh
[Request 11 Series Catalog](#)

23 Series *In-Line Filters*



Housings: 316 Stainless Steel
 Pressure: 3,000 and 6,000 PSI
 Flows: Up To 5 GPM or 150 SCFM
 ▶ Multiple Micron Ratings Available
 ▶ Porting Options are 1/2" and 3/4"
 ▶ Replaceable Filter Disc
[Request 23 Series Catalog](#)

CHASE FILTERS & COMPONENTS CATALOG OVERVIEW

21 Series *Mini In-Line Filters*



Housings: 304 Stainless Steel
 Pressure: 3,000 and 6,000 PSI
 Flows: Up To 5 GPM or 150 SCFM
 ▶ Multiple Micron Ratings Available
 ▶ Various Porting Options Available
 ▶ Custom Materials Available
 ▶ Ideal for Applications with Limited Space
[Request 21 Series Catalog](#)

31 Series *In-Line Filters 6,000 PSI*



Housings: 303, 316 and 17-4 Stainless Steel
 Pressure: 3,000 and 6,000 PSI
 Flows: Up To 40 GPM or 1,750 SCFM
 ▶ Multiple Micron Ratings Available
 ▶ Various Porting Options Available
 ▶ Custom Materials Available
[Request 31 Series Catalog](#)

51 Series *Tee-Type Filters 6,000 PSI*



Housings: Aluminum, 303 and 316 Stainless Steel
 Pressure: 5,000 and 6,000 PSI
 Flows: Up To 50 GPM or 4,000 SCFM
 ▶ Multiple Micron Ratings Available
 ▶ Various Porting Options Available
 ▶ Options: Visual, Bypass Valves and Bowl Drain
[Request 51 Series Catalog](#)



20 Series *In-Line Filters High Pressure O₂*



- Pressure: Up To 6,000 PSI
Flow Rate: 50 SCFM; Cv .1-.3
- › Various Porting Options Available
 - › Standard 10 Micron Absolute
 - › Sintered Bronze Disc
 - › **Meets Modified ASTM G175 Phase 2 Promoted Ignition Test**

[Request 20 Series Catalog](#)

25 Series *In-Line Filters High Pressure O₂*



- Pressure: Up To 6,000 PSI
Flow Rate: 120 SCFM; Cv .7
- › Various Porting Options Available
 - › Standard 10 Micron Absolute
 - › Patented Fluted Element Increases Dirt Holding Capacity and Reduces Pressure Drop
 - › **Meets Modified ASTM G175 Phase 2 Promoted Ignition Test**

[Request 25 Series Catalog](#)

30 Series *In-Line Filters High Pressure O₂*



- Pressure: Up To 6,000 PSI
Flow Rate: 150 SCFM; Cv 1
- › Various Porting Options Available
 - › Standard 10 Micron Absolute
 - › Patented Fluted Element Increases Dirt Holding Capacity and Reduces Pressure Drop
 - › **Meets Modified ASTM G175 Phase 2 Promoted Ignition Test**

[Request 30 Series Catalog](#)

50 Series *Tee-Type Filters High Pressure O₂*



- Pressure: Up To 6,000 PSI
Flow Rate: 500 SCFM; Cv 3
- › Various Porting Options Available
 - › Standard 10 Micron Absolute
 - › Reliable Side Seal Design
 - › **Meets Modified ASTM G175 Phase 2 Promoted Ignition Test**

[Request 50 Series Catalog](#)

41 Series *Mini Tee-Type Filters*



- Housings: 316 and 17-4 Stainless Steel
Pressure: Up To 10,000 PSI
Flows: Up To 1.5 GPM and 150 SCFM
- › Multiple Micron Ratings Available
 - › 1/4" FNPT Port
 - › Ideal for Applications with Limited Space

[Request 41 Series Catalog](#)

43 Series *Tee-Type Filters*



- › **20,000 PSI Rated Operating Pressure**
- › Flows up to 7.5 GPM & 210 SCFM
- › 17-4 PH Stainless Steel Construction
- › A Wide Range of Micron Ratings Available
- › 1/4," 3/8" & 9/16" MP Ports
- › SAE & NPT 10K / MP 20K

[Request 43 Series Catalog](#)

52 Series *Tee-Type Filters 20,000 PSI*



- Housings: 303, 316 and 17-4 Stainless Steel
Pressure: 10,000 and 20,000 PSI
Flows: Up To 24 GPM or 1,200 SCFM
- › Multiple Micron Ratings Available
 - › Various Porting Options Available
 - › Options: Visual, Bypass Valves and Bowl Drain

[Request 52 Series Catalog](#)

56 Series *Tee-Type Filters 60,000 PSI*



- Housing: 17-4 Stainless Steel
Pressure: 60,000 PSI with 120,000 PSI Burst
Flows: Consult Factory
- › Multiple Micron Ratings Available
 - › Porting Options are 1/4" and 3/8" HP Ports
 - › Liquid Applications Only
 - › No elastomers, can withstand very high temperatures

[Request 56 Series Catalog](#)